



Safe Grade I

As per EN 1143-1 & NT Fire 017-60P

The safes are used for storing cash and important documents at home, offices or shops.



Pearl white, RAL 9010.



Standard equipped with a changeable key lock.
Combination lock, electronic combination lock or two locks on special order.



Standard interior is 1-3 shelves. More options are available.



Prepared for anchoring. (2 * M16 anchoring bolts included).
Cabinets under 1,000 kg shall be anchored.



The safes have as standard a hole in the rear side for optional alarm connection.



Fire protection certified by SBSC according to NT Fire 017-60P.
Applies to the models: 40, 50, 80, 500, 900, 1200 and 1500.



Burglary protection certified by ECB·S according to European standard EN 1143-1.

WEIGHT AND MEASUREMENTS

	I 40	I 50	I 80	I 500	I 900
External measurements H * W * D* mm	558 * 535 * 531	633 * 535 * 531	933 * 535 * 531	633 * 635 * 601	1033 * 635 * 601
Internal measurements H * W * D mm	425 * 400 * 330	500 * 400 * 330	800 * 400 * 330	500 * 500 * 400	900 * 500 * 400
Weight kg	180	195	235	220	355
Volume liter	56	66	105	100	180
Fire protection	NT Fire 017-60P	NT Fire 017-60P	NT Fire 017-60P	NT Fire 017-60P	NT Fire 017-60P
Standard fittings	1 shelf	1 shelf	2 shelves	1 shelf	2 shelves

* External depth - The wheel (handle) increases the external depth by 55 mm.



	I 1200	I 1500	I 1800/2	I 1800/3
External measurements H * W * D* mm	1333 * 635 * 601	1623 * 635 * 601	1985 * 890 * 810	1985 * 1210 * 810
Internal measurements H * W * D mm	1200 * 500 * 400	1490 * 500 * 400	1820 * 730 * 540	1820 * 1050 * 540
Weight kg	425	500	1000	1300
Volume liter	240	298	715	1030
Fire protection	NT Fire 017-60P	NT Fire 017-60P	—	—
Standard fittings	2 shelves	3 shelves	3 shelves	3 shelves

* External depth - The wheel (handle) increases the external depth by 55 mm.

OPTIONAL FITTINGS



Extendable shelf



Adjustable shelf



Extendable hanging folder frame



Lockable locker 155mm - 1 door
The key lock can be changed to *Robur Pin 1600



Lockable locker 155mm - 2 doors
The key lock can be changed to *Robur Pin 1600



Lockable locker 155mm - 3 doors
The key lock can be changed to *Robur Pin 1600



Lockable locker 355mm - 1 door
The key lock can be changed to *Robur Pin 1600



Lockable locker 355mm - 2 doors
The key lock can be changed to *Robur Pin 1600



Lockable drawer



Alarm package



**Electronic combination lock
Insys combilock 200 simplex



Deposit cupboard



*Robur Pin 1600

** Other lock options are possible.

We reserve the right to alter the specification without prior notice.



Head office:
Robur Safe AB
Lundbyvägen 8
311 68, Slöinge
Sweden

+ 46 346 260 260
info@robursafe.com
www.robursafe.com