



Safe Grade III

As per EN 1143-1 & NT Fire 017-60P

The safes are used for storing cash, jewellery, watches and important documents at home, offices or shops.



Pearl white, RAL 9010.



Standard equipped with a changeable key lock.
Combination lock, electronic combination lock or two locks on special order.



Standard interior is 1-3 shelves. More options are available.



Prepared for anchoring. (2 * M16 anchoring bolts included).
Cabinets under 1,000 kg shall be anchored.



The safes have as standard a hole in the rear side for optional alarm connection.



Fire protection certified by SBSC according to NT Fire 017 – 60P. For the models:
40, 50, 80, 500, 900, 1200 and 1500.



Burglary protection certified by SBSC & ECB·S according to European standard
SS-EN 1143-1/EN 1143-1.

WEIGHT AND MEASUREMENTS

	III 40	III 50	III 80	III 500	III 900
External measurements H * W * D* mm	545 * 540 * 584	645 * 540 * 584	945 * 540 * 584	645 * 640 * 654	1045 * 640 * 654
Internal measurements H * W * D mm	400 * 400 * 330	500 * 400 * 330	800 * 400 * 330	500 * 500 * 400	900 * 500 * 400
Weight kg	325	375	520	450	680
Volume liter	52	66	105	100	180
Fire protection	NT Fire 017-60P	NT Fire 017-60P	NT Fire 017-60P	NT Fire 017-60P	NT Fire 017-60P
Standard fittings	1 shelf	1 shelf	2 shelves	1 shelf	2 shelves

* External depth - The wheel (handle) increases the external depth by 55 mm.



	III 1200	III 1500	III 1800/2	III 1800/3
External measurements H * W * D* mm	1345 * 640 * 654	1645 * 640 * 654	1965 * 870 * 794	1965 * 1190 * 794
Internal measurements H * W * D mm	1200 * 500 * 400	1500 * 500 * 400	1820 * 730 * 540	1820 * 1050 * 540
Weight kg	830	980	1600	2050
Volume liter	240	300	717	1031
Fire protection	NT Fire 017-60P	NT Fire 017-60P	—	—
Standard fittings	2 shelves	3 shelves	3 shelves	3 shelves

* External depth - The wheel (handle) increases the external depth by 55 mm.

OPTIONAL FITTINGS



Extendable shelf



Adjustable shelf



Extendable hanging folder frame



Lockable locker 155mm - 1 door
The key lock can be changed to *Robur Pin 1600



Lockable locker 155mm - 2 doors
The key lock can be changed to *Robur Pin 1600



Lockable locker 155mm - 3 doors
The key lock can be changed to *Robur Pin 1600



Lockable locker 355mm - 1 door
The key lock can be changed to *Robur Pin 1600



Lockable locker 355mm - 2 doors
The key lock can be changed to *Robur Pin 1600



Lockable drawer



Alarm package



****Electronic combination lock**
Insys combilock 200 simplex



Deposit cupboard



*Robur Pin 1600

** Other lock options are possible.

We reserve the right to alter the specification without prior notice.



Head office:
Robur Safe AB
Lundbyvägen 8
311 68, Slöinge
Sweden

☎ + 46 346 260 260
✉ info@robursafe.com
🌐 www.robursafe.com