



## Safe Grade VI EX

As per EN 1143-1 & NT Fire 017-60P

Safes on Grade VI EX are used for protecting cash, valuables and documents against burglary and fire. These safes are also approved for storing weapons and explosives.



Pearl white, RAL 9010.



Standard equipped with two changable key locks.  
Combination locks or electronic combination locks on special order.



Standard interior is 2-3 shelves. More options are available.



Prepared for anchoring.



The safes have as standard a hole through the hinge for optional alarm connection.



Fire protection certified by SBSC according to NT Fire 017 – 60P. For the models: 900, 1200 and 1500.



Burglary protection certified by SBSC according to European standard EN 1143-1.



Explosive tested according to European standards and thus has the extension EX in the certificate.

## WEIGHT AND MEASUREMENTS

	VI EX 900	VI EX 1200	VI EX 1500
<b>External measurements</b> H * W * D* mm	1260 * 760 * 770	1560 * 760 * 770	1860 * 760 * 770
<b>Internal measurements</b> H * W * D mm	900 * 500 * 400	1200 * 500 * 400	1500 * 500 * 400
<b>Weight</b> kg	1500	1850	2200
<b>Volume</b> liter	180	240	300
<b>Standard fittings</b>	2 shelves	2 shelves	3 shelves

\* External height - incl. plinth 100mm.

\*\* External depth - The wheel (handle) increases the external depth by 55 mm.



VI EX 900

VI EX 1200

VI EX 1500

VI EX 1800/2

VI EX 1800/3

	VI EX 1800/2	VI EX 1800/3
<b>External measurements</b> H * W * D* mm	2180 * 990 * 910	2180 * 1310 * 910
<b>Internal measurements</b> H * W * D mm	1820 * 730 * 540	1820 * 1050 * 540
<b>Weight</b> kg	3500	4400
<b>Volume</b> liter	717	1030
<b>Standard fittings</b>	3 shelves	3 shelves

\* External height - incl. plinth 100mm.

\*\* External depth - The wheel (handle) increases the external depth by 55 mm.

## OPTIONAL FITTINGS



Extendable shelf



Adjustable shelf



Extendable hanging folder frame



Lockable locker 155mm - 1 door  
The key lock can be changed to \*Robur Pin 1600



Lockable locker 155mm - 2 doors  
The key lock can be changed to \*Robur Pin 1600



Lockable locker 155mm - 3 doors  
The key lock can be changed to \*Robur Pin 1600



Lockable locker 355mm - 1 door  
The key lock can be changed to \*Robur Pin 1600



Lockable locker 355mm - 2 doors  
The key lock can be changed to \*Robur Pin 1600



Lockable drawer



Alarm package



\*\*Electronic combination lock  
Twinlock C700



Deposit cupboard



\*Robur Pin 1600

\*\* Other lock options are possible.

We reserve the right to alter the specification without prior notice.



**Head office:**  
Robur Safe AB  
Lundbyvägen 8  
311 68, Slöinge  
Sweden

☎ + 46 346 260 260  
✉ [info@robursafe.com](mailto:info@robursafe.com)  
🌐 [www.robursafe.com](http://www.robursafe.com)